

M-Pact-O Probe Bars:

Southern Cross provides a wide range of M-Pact-O Probe Bars as a solution for our clients. The probe bars come in different lengths, widths and materials. All of the probe bars have different functionalities and can be used in a variety of scenarios. The most common use is to locate a gas line or buried cable or to sample a gas line. See the attached list for all product numbers and specifications.

Completely Repairable Deluxe Bar Probes

Penetration Depth Plus 2' (Length of Handle) = Total Length of Tool

24" Penetration Depth x 7/16" Probe Rod w/Rubber Coated Handle	No. 26,44
24" Penetration Depth x 7/16" Probe Rod w/Iron Handle	No. 26
24" Penetration Depth x 7/16" Probe Rod, Less Handle	No. 26H
24" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 51,44
24" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#	No. 51,44 + 3
24" Penetration Depth x 1/2" Probe Rod w/Iron Handle	No. 51
24" Penetration Depth x 1/2" Probe, Less Handle	No. 51H
36" Penetration Depth x 7/16" Probe Rod w/Rubber Coated Handle	No. 27,44
36" Penetration Depth x 7/16" Probe Rod w/Iron Handle	No. 27
36" Penetration Depth x 7/16" Probe Rod, Less Handle	No. 27H
36" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 50,44
36" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#	No. 50,44 + 3
36" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3 # New	No. 50,44 +3 N
36" Penetration Depth x 1/2" Probe Rod w/Iron Handle	No. 50
36" Penetration Depth x 1/2" Probe Rod Less Handle	No. 50H
48" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 28,44
48" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#	No. 28,44 + 3
48" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#New	No. 28,44 + 3 N
48" Penetration Depth x 1/2" Probe Rod w/Iron Handle	No. 28
48" Penetration Depth x 1/2" Probe Rod, Less Handle	No. 28H
48" Penetration Depth x 5/8" Probe Rod w/Rubber Coated Handle	No. 48,44
48" Penetration Depth x 5/8" Probe Rod w/Rubber Coated Handle +3#	No. 48,44 +3
48" Penetration Depth x 5/8" Probe Rod w/Iron Handle	No. 48
48" Penetration Depth x 5/8" Probe Rod, Less Handle	No. 48H
60" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 40,44
60" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#	No. 40,44 + 3
60" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3# New	No. 40,44 + 3 N

60" Penetration Depth x 1/2" Probe Rod w/Iron Handle	No. 40
60" Penetration Depth x 1/2" Probe Rod, Less Handle	No. 40H
72" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 29,44
72" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#	No. 29,44 + 3
72" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3# New	No. 29,44 + 3N
72" Penetration Depth x 1/2" Probe Rod w/Iron Handle	No. 29
72" Penetration Depth x 1/2" Probe Rod, Less Handle	No. 29H

Replaceable Parts for Deluxe Probe with 7/16" Rod

22" Penetration Depth Rod & Piston, Welded	No. B22
24" Penetration Depth Rod & Piston, Welded	No. B26
36" Penetration Depth Rod & Piston, Welded	No. B27
36" Threaded Rod	No. A/E26
54" Threaded Rod	No. A/E27
Blunt Tip	No. #35
Sharp Point Tip	No. #SP35
Brass Tip	No. #35B
Guide	No. G34
Steel Coupler	No. C25
Rubber Coated Handle	No. H54
Iron Handle	No. H32
Rubber Ball	No. 43

Replaceable Parts For Deluxe Probe with 1/2 " Rod

22" Penetration Depth Rod & Piston, Welded	No. B23
24" Penetration Depth Rod & Piston, Welded	No. B51
36" Penetration Depth Rod & Piston, Welded	No. B50
48" Penetration Depth Rod & Piston, Welded	No. B28
60" Penetration Depth Rod & Piston, Welded	No. B40
72" Penetration Depth Rod & Piston, Welded	No. B29
42" Threaded Rod	No. A/E51
54" Threaded Rod	No. A/E50
63" Threaded Rod	No. A/E28
78" Threaded Rod	No. A/E40
88" Threaded Rod	No. A/E29
Blunt Tip	No. #36
Sharp Narrow Tip	No. #SP36N
Brass Tip	No. #36B
Guide	No. G31
Steel Coupler	No. C38

Rubber Coated Handle	No. H54
Rubber Coated Handle +3#	No. H54+3
Rubber Coated Handle +3# New	No. H54 +3N
New 3# (You add to the H54 to Make H54+3N)	No. 3#N
Iron Handle	No. H32
Rubber Ball	No. 43

Ground Rod Driver and Extractor

Ground Rod Driver, Drives up to a 5/8" Diameter Rod	No. 24
Ground Rod Drive Extractor	No. 24E
<i>*** (Assembly consisting of 1 Iron Handle, 1 Piston, 1 Rubber Ball, 1 Guide Tapped to 9/16" x 12 T.P.I.)</i>	

Repairable Fiberglass Probes with 5/8" Rod

Fiberglass Probe 36" Penetration Depth w/Rubber Coated Handle	No. 60
Same Probe Less Handle	No. 60H
Fiberglass Probe 42" Penetration Depth w/Rubber Coated Handle	No. 5542
Same Probe Less Handle	No. 5542H
Fiberglass Probe 48" Penetration Depth w/ Rubber Coated Handle	No. 55
Same Probe Less Handle	No. 55H
Fiberglass Probe 72" Penetration Depth w/Rubber Coated Handle	No. 49
Same Probe Less Handle	No. 49H
Blunt Tip for 5/8" Rod	No. #59
Brass Tip for 5/8" Rod	No. #59B
Sharp Point Tip for 5/8" Rod	No. #SP59
Rubber Coated Handle	No. H54
Rubber Ball	No. 43

Non-Repairable Standard Probe with 7/16" Rod

36" Penetration Depth x 7/16" Probe Rod w/Rubber Coated Handle	No. 10,44
--	-----------

Non-Repairable Heavy-Duty Probes with 1/2" Rod

36" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 11,44
36" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle +3#	No. 11,44+3
42" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 12,44
48" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 13,44
60" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 16,44
72" Penetration Depth x 1/2" Probe Rod w/Rubber Coated Handle	No. 14,44

Rescue Bar

Rescue Bar	No. 23
Same Probe Less Handle	No. 23H

Heavy Duty Chisel Bar

Heavy Duty Chisel Bar	No. 22
-----------------------	--------

Repairable Steel Feeler Bar with 3/8" Rod

2' Steel x 3/8" Rod with T-Handle and Sharp Tip	No. 57,72
3' Steel x 3/8" Rod with T-Handle and Sharp Tip	No. 57,73
4' Steel x 3/8" Rod with T-Handle and Sharp Tip	No. 57,74
5' Steel x 3/8" Rod with T-Handle and Sharp Tip	No. 57,77
6' Steel x 3/8" Rod with T-Handle and Sharp Tip	No. 57,79

2' x 3/8" Threaded Rod	No. A/E72
3' x 3/8" Threaded Rod	No. A/E73
4' x 3/8" Threaded Rod	No. A/E74
5' x 3/8" Threaded Rod	No. A/E77
6' x 3/8" Threaded Rod	No. A/E79

3/8" Steel Coupler	No. C70
3/8" Blunt Tip	No. #37
3/8" Sharp Tip	No. #SP37
3/8" T-Handle	No. H99,38

Repairable Steel Feeler Bar with 7/16" Rod

4.5' x 7/16" Rod with T-Handle and Blunt Tip	No. 57,27
54" x 7/16" Threaded Rod	No. A/E27
7/16" Coupler	No. C25
7/16" Blunt Tip	No. #35
7/16" Sharp Tip	No. #SP35
7/16" T-Handle	No. H99,716

Repairable Steel Feeler Bar with 1/2" Rod

4.5' Steel with T-Handle and Blunt Tip	No. 57,50
5.25' Steel with T-Handle and Blunt Tip	No. 57,28
6.5' Steel with T-Handle and Blunt Tip	No. 57,40
7.33' Steel with T-Handle and Blunt Tip	No. 57,29

54" x 1/2" Threaded Rod	No. A/E50
63" x 1/2" Threaded Rod	No. A/E28
78" x 1/2" Threaded Rod	No. A/E40

88" x 1/2" Threaded Rod

No. A/E29

1/2" Steel Coupler

No. C38

1/2" Blunt Tip

No. #36

1/2" Sharp Narrow Tip

No. #SP36N

1/2" T-Handle

No. H99,12

Repairable Fiberglass Feeler Bar with 1/2" Rod

4' Fiberglass Feeler Bar with T-Handle

No. 53

Same Probe Less Handle

No. 53H

5' Fiberglass Feeler Bar with T-Handle

No. 52

Same Probe Less Handle

No. 52H

Brass Tip

No. #62

3/8" T-Handle

No. H99.38